



**HANGJIN  
FENCING**

**HANGJIN FENCING**

**Contact Us**

Hebei Hangjin Wire Mesh Product Co., Ltd.

Add: East Development Zone, Anping county, Hebei Province, China

TEL: +86-318-7523276 FAX: +86-318-7535515

Mobile: +86-18830811988

E-mail: sales@hjmesh.com

Hebei Hangjin Wire Mesh Product Co., Ltd.





HANGJIN FENCING

TEL: +86-318-7523276 FAX: +86-318-7535515  
E-mail: sales@hjmesh.com

Looking  
to the  
future



TEL: +86-318-7523276 FAX: +86-318-7535515  
E-mail: sales@hjmesh.com

HANGJIN FENCING



## CONTENTS

Company Profile	01-02
Company Qualification	03-04
Company Culture	05-06
Garden Fence	07
Peach-Shaped Post	08
Roll Top Fence	09
Garrison Fencing/Steel Picket Fence	10
Chain Link Fencing	11
Double Wire Panel Fencing	12
Post Dimensions	13
358 anti-Climb Fencing	14-15
Temporary Fencing Panel	16
Crowd Control Barricades	17
Gabion Baskets	18
Welded Wire Mesh Gabions	19
Palisade Fencing	20
Wind Dust Network	21
Razor Wire Flat Wrap	22
Barbed Wire	23
Airport Fence	24
Field Fence,Cattle Fence	25
Company Successful Performance	26
Germany RAL Color Card	27-28



## Company Profile

**Hebei Hangjin Wire Mesh Product Co., Ltd.** is located in the biggest wire mesh production base – Anping County, the home town of wire meshes in the worldwide . Now we are one of the leading manufacturers of wire meshes. With reasonable prices and good services, we have got recognition and trust among customers worldwide. Our main products are all kinds of wire mesh products including gabion box, 358 fence, razor wire, Bull bar network, heavy duty security fencing, welded wire mesh, wind or dust nets, airport fence, wall spike, chain link fence, horse gate, palisade fence, temporary fence, peach shaped fence, pet cage and so on.

**Why choose us?** Hebei Hangjin Wire Mesh Product Co., Ltd. integrates wire mesh research, development, production, sale and after-sales service. We are one of the comprehensive metal product manufacturing companies in this field.

**HANGJIN** is a young, professional, stylish and vibrant high-quality team. We will have good cooperation with our customers. We aim to meet customers' needs (Customer standards is our standard) and have highly efficient cooperation with clients. Our company regards "reasonable prices, efficient production time and good after-sales service" as our tenet. We hope to cooperate with more customers for mutual development and benefits.

Welcome potential buyers to contact us. Come and choose HANGJIN and share the success!





# Company Qualification





## Company Culture

**Standardized Management**

**Sci-tech Innovation**

**Honest Business**

**Customer Satisfaction**





## Garden Fence

Square Post with welded wire mesh fencing panel is an fence classic which has simple style and flexible installation.

Fence panel is made of high quality low carbon steel galvanized wire.

PVC powder coated for the surface treatment supplies efficient anti-rust effect and beautiful appearance.



Clip 1

Clip 2

Clip 3



### Panel Size

Height (mm)	Width (mm)
1000-3000mm	2000-2500mm

### Mesh Size

Wire Diameter (mm)	Mesh Size (mm)
3-8mm	50×100mm
3-8mm	50×150mm
3-8mm	50×200mm

### I Square Post

Pipe Size (mm)	Thickness (mm)
50×50mm	1-4mm
60×60mm	1-4mm

### II Round Post

Pipe Size (mm)	Thickness (mm)
50×50mm	1-4mm
60×60mm	1-4mm

### III Rectangular Post

Pipe Size (mm)	Thickness (mm)
φ 48mm	1-4mm
φ 60mm	1-4mm

## Peach-Shaped Fence

Peach-shaped fencing is a new product popular in many developed countries, including the U.S.A, Japan and South Korea and in large cities of China. It is beautiful, suitable for any hypsography, and convenient in installation.



### Panel Size

Height (mm)	Width (mm)
1000-3000mm	2000-2500mm

### Mesh Size

Wire Diameter (mm)	Mesh Size (mm)
3-8mm	50×100mm
3-8mm	50×150mm
3-8mm	50×200mm

### Peach-Shaped Post

Pipe Size (mm)	Thickness (mm)
50×70mm	1-1.2mm
70×100mm	1-1.2mm





## Roll Top Fence

ROLL TOP FENCE is designed to have a triangular on the top and bottom of the fence which makes it more strong and tough. It prevents people from easily climbing over the fence to reach the protected area.

Surface Treatment: hot dipped galvanized or PVC powder coated supply the fence a lifespan of 30 years more.



PRODUCTS REFERENCE	SIZE		OPENING		WIRE DIA.	SURFACE TREATMENT
	HIGHT (MM)	WIDHT (MM)	V	H		
1	900	2200 OR 2400	50MM	150M M	5MM	HOT DIPPED GALVANIZED
2	1200	2200 OR 2400				
3	1500	2200 OR 2400				
4	1800	2200 OR 2400				
5	2100	2200 OR 2400				
6	2400	2200 OR 2400				
CUSTOMIZED	WE ARE ABLE TO PRODUCE YOUR DESIRED SPECIFICATION					



## Garrison Fencing/Steel Picket Fence

Garrison Fencing is particularly popular for commercial applications as it provides a high level of security at an affordable price.

It is made of galvanized steel pipe and then powder coated. The treatment gives the fence extended life period and prevents rusting.

Lasting far longer than wire fencing solves the ongoing capital expenses of wire fence maintenance and replacement.

### Gates

Personal Access Gates—Standard size gate suits 1000mm opening

Vehicle Access Gates—It is available for any opening dimensions.

### Standard Size

Panel Height (MM)	1800	2100	2400
Panel Width (MM)	2000	2400	
Horizontal Rail (MM)	40*40		
Vertical Pickets (MM)	25*25	20*20	
Post Specs (MM)	60*60	60*80	80*80
Post Height(MM)	Match the panel height		





## Chain Link Fence

Galvanized steel chain link fence fabric is produced in a variety of gauges and mesh sizes, and is produced in heights of 36" , 42" , 48" , 60" , 72" , 84" , 96" , 120" , and 144" .

### Color & Size Options

Standard(silver-grey) galvanized finished  
 Black vinyl coated + galvanized  
 Green vinyl coated + galvanized  
 White vinyl coated + galvanized

Available in 3/8" , 1/2" 5/8" and 1" mesh

### Product Features

15-year and 25-year limited warranties Low maintenance  
 Residential,commercial,and industrial and high security applications  
 Matching framework, fittings and gates Available



## Double Wire Panel Fence

### Structure

Standard panels are constructed from a 5mm single vertical wire sandwiched by two 6mm horizontal wires leaving a 200 x 50mm aperture.

They create a strong rigid fence when fitted to RHS post.

### Application

Schools Public Buildings Industrial Buildings

### Panel Dimensions

Heights	630 830 1030 1230 1430 1630 1830
	2030 2230 2430 2630 2830 3030 3230
	3430 3630 3830 4030 4230 4430 4630
	4830 5030 5230 5430 5630 5830 6030
Width	2500
Aperture Size	50 x 200
Wire Diameter	6/5/6 8/6/8

### Surface Treatment

Hot dipped galvanized after welded  
 Galvanized and polyester powder coating  
 Standard color is RAL 6005 and RAL 7016  
 Full range of RAL color available





## Post Dimensions

RHS: 60\*40 80\*40  
 80\*60 100\*50  
 Thickness: 2 2.5 3 mm  
 Height: 1130-7000 mm

### Fittings

Flat clamp bars: 40 x 5mm  
 Screw: M8 x 40  
 Metal clamp is also available

### Surface Treatment


Hot dipped galvanized after welded  
 Galvanized and polyester powder coating



Type 1



Type 2



## 358 Anti-Climb Fencing

'358' comes from its measurements "3" x 0.5" x 8 gauges which equates to approx 76.2mm x 12.7mm x 4mm in metric. Small aperture makes it extremely difficult to use cutting tools or for would-be intruders to climb or pass objects through the fence.

### Mesh

Horizontal Wires: 4mm @ 12.7mm centers  
 Vertical Wires: 4mm @ 76.2mm centers  
 Mesh Aperture: 76.2mm x 12.7mm  
 Height: 1.8m, 2.0m, 2.4m, 2.7m, 3m, 4m, 5.2m  
 Finish: Hot dipped galvanized  
 Galvanized and polyester powder coated

### Post

Dimensions: 60 x 60mm 60 x 80mm 80 x 80mm  
 Post Centers:  
 Fittings: steel clamp bar, clamp, screws  
 Post are designed with additional fixing holes to accommodate stepping of panels to suit uneven ground.  
 All range of RAL colors are available.





## 358 Anti-Climb Fencing

### Accessories

Barbed Wire  
 Concertina Razor Barbed Wire  
 Flat Loop Razor Barbed Wire  
 Building Spike Topping


### Gate

Single Gate: 1.2m width  
 Double Leaf Gate: 3-8m  
 Sliding Gates available

Gate to match fence height And customer specifications are available and priced accordingly.

### Applications

Military sites  
 Prisons and correctional facilities  
 Warehouses  
 Important government buildings  
 Residential areas  
 Powder plants  
 Industrial parks



## Temporary Fencing Panel

Temporary Fencing Panel is quick and convenient for a location, festivals, events and job site enclosure. The fence panel is constructed of welded mesh or chain link mesh. Thin mesh design also helps to keep the panel lightweight for easy transportation and storage, whilst also offering effective security once in place.

### Features:

Frame constructed of galvanized 32mm steel pipe.  
 4mm galvanized wire with 60 x 150 aperture.  
 Fully galvanized weather resistance.

### Fence Clamps

It is used to join the fence panel together and attach support stays to the panels.  
 Finish: hot dipped galvanized



### Standard Dimensions

Panel Height: 1800mm  
 Panel Length: 2400mm  
 Plastic Fence Feet Size: 570 x 245 x 130





## Crowd Control Barricades

Crowd Barriers are a lightweight and durable fencing system, quick to install. They provide an ideal solution for the safety of pedestrians, protection of property, and wherever temporary boundary solution is required.

Barriers can be quickly installed through an easy locking system ensuring a safe and secure temporary boundary.



Base Type:

Flat Base Bridge Base


“U” Base Wheel Base

Frame: 1-1/2" OD 16 gauge steel tubing  
 Uprights: 1/2" OD 16 gauge steel tubing  
 1-1/4" OD 16 gauge steel tubing  
 5/8" OD 18 gauge steel tubing  
 Spacing between uprights: 4"  
 Length: 3.25' 6.5' 8'  
 Height: 43"



Key Features

- Easy to transport and install
- Hot dipped galvanized
- Interlocking system
- Stacks compactly for storage
- Easily transportable



## Gabion Baskets

Gabions are rectangular wire mesh baskets filled with rock at the project site to form flexible, permeable, monolithic structures such as retaining walls for commercial, industrial and road projects. They are also used for erosion control, bank stabilization, channel linings, and weirs.

Gabion strength comes from a double twisted hexagonal mesh of steel wire(2.7mm) which is reinforced by selvages of heavier wire(3.4mm) running along the edges and by transverse diaphragms. The double twisted woven wire will not unravel, even when cut.

The mesh is manufactured with Class A galvanized wire or with PVC coating wire, with mesh aperture of 80 x 100mm.

### River Mattresses

Manufactured using hexagonal woven mesh type, Class A Galvanized or with a 0.50mm thickness PVC coating, mesh aperture 60 x 80mm, mesh wire diameter of 2.20mm and salvage wire diameter of 3.4mm.

### Standard Mattresses Dimensions

L (m) x W(m) x H(m)  
 2 x 1 x 0.3 3 x 1 x 0.3  
 6 x 2 x 0.23 6 x 2 x 0.17

### Standard Baskets Dimensions

L (m) x W(m) x H(m)  
 1 x 1 x 1 4 x 1 x 1 5 x 1 x 1  
 2 x 1 x 1 2 x 1 x 0.5 4 x 1 x 0.5  
 3 x 1 x 1 3 x 1 x 0.5 1.5 x 1 x 1





## Welded Wire Mesh Gabions

Pre-assembled gabions are made of welded wire fabric and have shape control that is far superior to that achieved with other types of baskets. The fabric used in these baskets is identical to the mesh used to reinforce concrete flatwork. The improved finished shape of welded wire mesh gabions produces a more pleasing appearance. In addition, gabions install at a considerably faster rate than woven wire baskets. Studies have shown that welded wire baskets install at a rate that reduces labor costs by at least 50%.

Gabion boxes and Mattresses are made from 76.2mm x 76.2mm nominal (3" x 3") Welded Mesh, divided by diaphragms at 1 metre centres where necessary with wire diameters 3mm, 4mm or 5mm.

3mm diameter wire is used on lower retaining walls, 4mm diameter wire on medium to high retaining walls and the heaviest 5mm wire for the highest structures



## Palisade Fencing

For many years now Palisade fencing has been the mainstay of industrial security fencing, and is widely considered to be the most effective form of industrial security fence. It forms an effective and economic barrier to deter intruders. It is constructed from vertical strips of corrugated steel, called PALES, fixed to horizontal rails, of steel angle, by welding (Welded panels), or bolting (Kit-form). When assembled, they are called PANELS.

These are fixed to fence posts, which are usually concreted into the ground, or bolted to some existing wall or other hard surface.

The PALES usually have triple pointed tops, but can also have round tops. There are two types of PALE, "D" section and "W" section, which describe the shape. "W" section pales are lighter, but wider and are folded ("rolled") into a stronger "W" shape. The "D" section pales have to be made from heavier steel to be equal in strength.

Pale:

Type: "D" Section "W" Section

Thickness: 2-4mm 2.5-3.5mm

Height: 1.2m, 1.5m, 1.8m, 2.0m, 2.1m, 2.4m, 2.7m, 3.0m and 3.6m

Finishing: galvanized or polymer coated in a variety of different shapes and colours.



Angle Rail: 45 x 45mm 50 x 50mm

RSJ Post: 102 x 44mm 100 x 55mm

Applications:

School, Sports Fields,

Commercial/Industrial Premises






## Wind Dust Network

### Single-Peak Type

Panel width: 300mm,450mm  
 Peak height: 30-50mm  
 Steel thickness: 0.5mm-1.5mm  
 Length: 4m-6m




### Double-Peak Type

Panel width: 900mm-930mm  
 Peak height: 40-80mm  
 Steel thickness: 0.5mm-1.5mm  
 Length: 4m-6m



### Triple-Peak Type

Panel width: 800mm-950mm  
 Peak height: 30-80mm  
 Steel thickness: 0.5mm-1.5mm  
 Length: 4m-6m



## Razor Wire Flat Wrap

Flat razor wire fence is the new application for razor wire. It is practicable and beautiful. It can be used together with the straight type razor barbed wire to form protecting wall. Razor barbed wire in flat wrap type is mainly used in warehouse, stock farm, farm, mine, prison, national defense, etc.



Reference Number	Blade Style	Thickness	Wire Dia	Barb Length	Barb Width	Barb spacing
BTO-10		0.5±0.05	2.5±0.1	10±1	13±1	26±1
BTO-12		0.5±0.05	2.5±0.1	12±1	15±1	26±1
BTO-18		0.5±0.05	2.5±0.1	18±1	15±1	33±1
BTO-22		0.5±0.05	2.5±0.1	22±1	15±1	34±1
BTO-28		0.5±0.05	2.5±0.1	28±1	15±1	45±1
BTO-30		0.5±0.05	2.5±0.1	30±1	18±1	45±1
CBT-60		0.6±0.05	2.5±0.1	60±2	32±1	100±2
CBT-65		0.6±0.05	2.5±0.1	65±2	21±1	100±2





## Barbed Wire

Barbed Wire fence is wire products of great versatility, as it allow to be installed over wire fences for small farms and sites. Barbed wire fence is a product recommended for the construction of strong and lasting fencing. It is extremely adapted to control heavy and wild animals. Barbed wire can be widely used as accessories for woven wires fences to form a fencing system or security system. It is called barbed wire fences or barbed obstacles when it is used simply by itself along the wall or the building to give a kind of protection. Barbed wire is also written as barbed tape as it is always used in a line to form a kind of tape.

### Barbed Wire Specification

Barbed Wire Material: Low carbon steel wire, electric galvanized wire, hot-dip galvanized wire, annealed wire, iron wire.

Barb Weave: traditional weave, twist weave etc.

Barbed Wire Color: silver, blue, green, yellow and other colors as your request.

Barbed Wire Features: aesthetic appearance and protective excellent performance, easy to install, high safety factor, a good deterrent effect .

Barbed Wire Use: in protect grass boundary, railway and highway. military border, prisons, an important state facilities, community, residential and other national security organizations, private buildings. Barbed wire can be used in road side fence, railway side fence and airport fence.

Barbed wire products of this company can be divided into three series: barbed wire, razor barbed wire and concertina wire fences. We have other related products: road side fence, railway side fence, airport fence, double wire fence, razor wire and 358 security fencing.

TYPE	Wire Gauge (SWG) Wire Gauge (SWG)	Barb Distance (cm)	Barb Length (cm)
Electric Galvanized Barbed Wire; Hot-dip zinc plating barbed wire	10# × 12#		
	12# × 12#		
	12# × 14#		
	14# × 14#	7.5 - 15	1.5 - 3
	14# × 16#		
	16# × 16#		
	16# × 18#		



## Airport Fence

The fence is composed of mesh panel, V- shaped panel, Y post and razor bared wire on the top.

Material :high-quality galvanized low carbon steel wire.

Surface treatment:polyester powder coated after welded supplies best protection against rust and corrosion. Normally , there are 3 or 4 folders on the mesh panel to make the panel stronger .

Square steel pipe is often used as post material. 60\*60mm or 80\*80mm both are ok. V- shape post and V-shape panel support the razor bared wire on the top.

This kind of fence is widely used in airport, prison, and anywhere needs high protection.



2500*3000mm	Specification
<b>Mesh Panel</b>	Wire Dia. : 5mm Mesh Size: 50*100mm Panel Size : 2000*2900mm Four Folders Surface Treatment: galvanized and powder coated
<b>V-Shaped Mesh</b>	The Same with the mesh panel
<b>Post</b>	Square Post: 60*60mm Thickness: 2.0mm Height: 2500mm Surface Treatment: galvanized and powder coated
<b>Concertina Barbed Wire</b>	Typ0e: BTO-22 Outside Diameter : 500mm Treatment: hot dipped galvanized



## Field Fence, Cattle Fence

Field fence, cattle fence, is a kind of America Europe widely used to protect the ecological balance, to prevent landslides, livestock fence, especially in rainy mountain sewn on the outside of the network layer is prevented bask in 120 grams of nylon woven cloth block mud flow so rapid development in recent years.

It usually USES the domestic high strength galvanized steel wire, steel wire ring type automatic twist plait. The average diameter of 2.5 mm D zinc layer of hard steel wire (H).

USES: widely used in grassland, pasture, forest, birdhouse, breeding, stadium, green belts, embankment, road and bridge, reservoirs and other aspects of the protective isolation.

Specifications:

Mesh size: 14-15-13-11-10-8-6 (cm), 15-18-20-40-50 to 60-65 cm (weft).

Height: 0.8 meters, 0.9 meters, 1.0 meters, 1.1 meters, 1.2 meters, 1.5 meters, 2 meters, 2.3 meters.

Length: 115 feet (50 meters), 330 feet (100 meters).



## Company Successful Performance

AWB BULD REPERSENTACIONES SAC

Our cooperation is very smooth with a AWB BULD REPERSENTACIONES SAC company, we mainly sell them a lot of Australia square tube – Garrison fence.

This product adopts high quality galvanized steel pipe and brightly colored plastic spraying technology! Production technology is the first-class in the industry. We not only ensure the quality of the products, and ensure the production schedule! And set up long-term relations of cooperation.







ral 1000	ral 1001	ral 1002	ral 1003	ral 1004	ral 1005	ral 1006	ral 1007
ral 1011	ral 1012	ral 1013	ral 1014	ral 1015	ral 1016	ral 1017	ral 1018
ral 1019	ral 1020	ral 1021	ral 1023	ral 1024	ral 1027	ral 1028	ral 1032
ral 1033	ral 1034	ral 2000	ral 2001	ral 2002	ral 2003	ral 2004	ral 2008
ral 2009	ral 2010	ral 2011	ral 2012	ral 3000	ral 3001	ral 3002	ral 3003
ral 3004	ral 3005	ral 3007	ral 3009	ral 3011	ral 3012	ral 3013	ral 3014
ral 3015	ral 3016	ral 3017	ral 3018	ral 3020	ral 3022	ral 3027	ral 3031
ral 4001	ral 4002	ral 4003	ral 4004	ral 4005	ral 4006	ral 4007	ral 4008
ral 4009	ral 5000	ral 5001	ral 5002	ral 5003	ral 5004	ral 5005	ral 5007
ral 5008	ral 5009	ral 5010	ral 5011	ral 5012	ral 5013	ral 5014	ral 5015
ral 5017	ral 5018	ral 5019	ral 5020	ral 5021	ral 5022	ral 5023	ral 5024
ral 6000	ral 6001	ral 6002	ral 6003	ral 6004	ral 6005	ral 6006	ral 6007

### Germany RAL Color Card

ral 6008	ral 6009	ral 6010	ral 6011	ral 6012	ral 6013	ral 6014	ral 6015
ral 6016	ral 6017	ral 6018	ral 6019	ral 6020	ral 6021	ral 6022	ral 6024
ral 6025	ral 6026	ral 6027	ral 6028	ral 6029	ral 6032	ral 6033	ral 6034
ral 7000	ral 7001	ral 7001	ral 7002	ral 7003	ral 7004	ral 7005	ral 7006
ral 7008	ral 7009	ral 7010	ral 7011	ral 7012	ral 7013	ral 7015	ral 7016
ral 7021	ral 7022	ral 7023	ral 7024	ral 7026	ral 7030	ral 7031	ral 7032
ral 7033	ral 7034	ral 7035	ral 7036	ral 7037	ral 7038	ral 7039	ral 7040
ral 7042	ral 7043	ral 7044	ral 8000	ral 8001	ral 8002	ral 8003	ral 8004
ral 8007	ral 8008	ral 8011	ral 8012	ral 8014	ral 8015	ral 8016	ral 8017
ral 8019	ral 8022	ral 8023	ral 8024	ral 8025	ral 8028	ral 9001	ral 9002
ral 9003	ral 9004	ral 9005	ral 9010	ral 9011	ral 9016	ral 9017	ral 9018